

16 Port Unmanaged PoE Switch

SP-1602GP

Key Features

- IEEE 802.3af/at PoE compliant
- Support PoE IP cameras, PoE Wi-Fi AP and IP phone
- One key smart
- Support upstream ports lightning protection
- Over-Voltage and under-voltage protection
- All port support wire speed switching, jumbo frame transmission



Product Specifications:

| | |
|------------------------------------|---|
| Model | SP-1602GP |
| PoE Ports | 16 ports |
| Uplink RJ45 Ports | 2 ports |
| Max Transmission Distance | 100m |
| Total Power Budget | 300W |
| Switching Capacity | 38G |
| Transmission Method | Store and forward |
| Power Input | 100~240V AC, 50-60Hz |
| PoE Standard | IEEE 802.3af, IEEE 802.3at |
| Power Output | Up to 30W per port |
| Pin Assignment | 1/2(+), 3/6(-) |
| PSE Type | End-Span |
| Network Protocol | IEEE 802.3, IEEE802.3i 10Base-T, IEEE 802.3u 100Base-Tx, IEEE 802.3ab 1000Base-T, IEEE 802.3af/at, IEEE 802.1q, IPv4, IGMPv1/v2/v3, IPv6, MLDv1/v2 snooping |
| Working Temp & Humidity | -20°C ~ 60°C, 10~90% |
| Storage Temp & Humidity | -40°C ~ 70°C, 5~95% |
| Dimension | 310mm(L)*190mm(W)*45mm(H) |
| Certificate | CE & FCC Certified |

*Note: Product design specifications and colors are subject to change without notice to improve Reliability, Function or Design or otherwise. Errors and omissions excepted.

Images displayed here are for illustration purposes only, actual product may vary.

Sparsh offers customized products and solutions as per site or customer requirements, minor changes in specifications and appearance are warranted and tracked version wise for customized requirements.